

Revised 6/15

ENCLOSURE - Addendum**(Model AA)**ENAA31 & ENAA46 & ENAA52 & ENAA65
END ENTRANCE**ASSEMBLY INSTRUCTIONS**Modified
FOR THE***RECTANGLE & SQUARE*****TRAMPOLINE**

Models

ENAA31 fits the 8x8TT Square

ENAA46 fits the 8x14AME Rectangle

ENAA52 fits the 8x16TT – 9x15AA – 9x16AME – 9x16TT – 10X17AA

ENAA65 fits the 14x16

8 Poles

(Bottom of net secured with T-BAR/bungee)

Different enclosures are designed to fit a particular size and shape trampoline. Therefore, the instruction manuals included with each enclosure may pertain to one particular trampoline. However, many enclosures can be easily modified to fit other size and shape trampolines than was originally intended.

Every effort is made to help make enclosures adapt to different trampolines. Please call 1-800-872-6765 for customer service if needed.

Your trampoline must first be correctly assembled before installation of any enclosure.


This modification is for the enclosure models as stated on the front page.

You need at least two adults for this assembly.

Step 1: Refer to the original manual and follow steps 1, 2, and 3.

Step 2: Attaching poles to the trampoline.

1. Start by facing the end (short side) of the rectangle trampoline. (If the trampoline is square, any end will do). Locate the right end leg. (This is the doorway and pole one.) See Diagram. 2. Take one assembled pole and push foam to the top ball cap. 3. Place the pole next to the end rail and leg. 4. The bottom of the foam should rest on the top of the end rail. 5. Eyebolt at top of pole needs to face outside of trampoline. 6. Attach U-bolts around trampoline leg, 1" up from the bottom of the enclosure pole. Place the pole clamp next to the enclosure pole. Tighten evenly, the nylon locking nuts, until pole clamp squeezes evenly around pole. 8. Attach the same way, the next U-bolt, up near the curve of the leg.



Step 3: Attach poles to remaining legs.

Use the same procedure as in the above Step 2, going left to right, clockwise fashion.

Step 4: Prepare the net as instructed in the manual.

1. Untie knots at both ends of net. Untie both top and bottom. This loosens the net and allows it to stretch. 2. The wide strap will be the top of the net. 3. One end of the strap, both top and bottom will have a loop at the end. The loop ends will be the beginning of the net.

Step 5: Attaching the net to the first pole. (See Diagram)

1. Go to pole one. This is the door pole. The entrance through the net will be to the left of the pole. 2. With the beginning of the net that has the loops and with the wider/top strap, pull any excess strap back "into" the net, leaving only about 20" including the loop, extending out past the edge of the net. 3. Tie a knot with the upper strap around the end/edge of the net. 4. Hook the loop over the ball cap and into the eye of the eyebolt. The net should not be able to slide.

Step 6: Attaching the net the second pole.

1. Pull extra net to the left (second pole) going clockwise. 2. Bring net to the outside of pole two and pull excess upper strap through net. 3. With a stepladder next to pole two, gently pull net and upper strap away from pole one and hook top edge of net and upper strap into eyebolt.

Step 7: Attaching the lower strap at the doorway.

1. Go to pole one. Pull the lower strap back into the net so that only the end with the loop extends past the edge of the net. Tie a knot with the strap around the end/edge of the net. 2. The bottom corner of the net should be approximately 16" from the door pole. Locate where the end of the lower strap loop reaches and remove the closest spring from the trampoline. Weave the spring through the loop and re-attach spring to trampoline. There should be room between edge of net and door pole to gain access to the trampoline through this opening. 3. Pull excess lower strap, past pole two.

Step 8: Attaching the net to remaining poles.

With ladder at pole three, attach net as described in the above Step 6. This is side corner pole #3. Continue this process to pole number eight.

*Note: The bottom of net will be above the trampoline but will be pulled/stretched down in a later step.

Step 9: Attaching net to last pole.

1. Pulling out any upper strap slack and net, pull the net from pole eight to the outside of pole one (door pole), hook upper strap and net into eyebolt. 2. From inside of trampoline, holding upper strap and end/edge of net, pull gently towards pole two. With the strap slack removed and extending past edge/end of net gently pull net and tie a knot with upper strap around end/edge of net. 3. Stretch the upper strap to pole two and tie to ball cap/eyebolt.

Step 10. Attaching the END of lower strap to trampoline.

Go back to the start of the net and beginning at pole two, pull out any lower strap slack from pole to pole until all slack is pulled around the trampoline and *out* at the end/edge and then tie a knot at the end/edge of the net. 2. With the extra lower strap extending past the end/edge of the net and pulled towards pole two, tie off the bottom of strap to the closest mat v-ring.

NOTE: Test the tightness of the net by pulling the net down between side poles and end poles. It is too tight if it doesn't reach the mat v-ring/springs, across the spring pad. Loosen the end of the net and at each pole in small amounts. Re-test for tightness.

Step 11. Unhooking the net from eyebolts.

1. Beginning with pole two, and using a ladder, **unhook** "only" the net from the eyebolt so that only the upper strap is in the eyebolt. 2. Proceed with remaining poles and do the same.

Step 12. Attaching lower strap with T-BARS to V-RINGS on the short/end side of trampoline.

Remember to only secure the lower strap. NOT THE NET.

1. From inside the trampoline, locate the door pole. 2. Pull lower strap at the door pole entrance and attach to the 4th or 5th v-ring (from the corner) on the mat with a T-BAR. 3. Find the **middle** of lower strap between this T-BAR and the end of the net. Attach a T-BAR in the middle to the closest v-ring. 4. Go to the opposite end. 5. These are poles 5 & 6. Near pole 5, pull lower strap over spring pad and where lower strap is closest to a v-ring, attach with a T-BAR This is either 4th or 5th v-ring. Do the same at pole 6. 6. Find between these T-BARS, the middle point and attach a T-BAR.

Step 13. Attaching lower strap with T-BARS to V-RINGS on the long/side of trampoline.

1. Go to the side rail (long side) with poles 3 and 4 of the trampoline. 2. Locate the **middle** of the net and lower strap between the two poles. 3. With a **T-BAR**, tie down **ONLY** the lower strap to the closest v-ring. 4. At each side pole, gently pull the lower strap over the spring pad, and attach a T-BAR to the closest v ring. 5. Do the same on the opposite side with poles 7 and 8.

Step 14. Attaching the start of the net, lower strap, between pole one and two.

From outside the trampoline, between poles one and two and at the beginning of the net, attach two or three T-BARS around lower strap only and the closest spring that is attached to the frame, evenly spaced out. Place the remaining T-BARS place at the largest openings at the bottom of the net and mat surface around the trampoline.

Step 15. Attaching lower strap at each pole.

With a short bungee, (loops on both ends, approximately 16" long), weave one end of the bungee through the lower strap, ONLY. Stretch both ends of Bungee around pole and attach to bottom U-bolt. Do this at each pole.

Trampolines USA

1-800-872-6765

Enclosure ENAA52 & ENAA65 Modification Instructions For a Rectangle with End Entrance

The enclosure ENAA52 and ENAA65 attaches to this trampoline with very few modifications.

○ =Trampoline Legs/Enclosure Poles

— =Net Attachment

